



LDR's Customer Service staff is on hand Monday thru Friday 7:00am to 5:00pm CST

EDI (Electronic Data Interchange) is available 24 hours a day, 7 days a week.



LDR International is your import source. Container shipments direct to your warehouse. Offices in Taichung, Taiwan, Beijing, China and Chicago, IL.



LDR Industries has domestic inventory.

- Excellent fill rates.
- National and International shipping.



Quality Control. Careful inspection is done on-site at our factories by LDR employees. Double check random testing and sampling at our Chicago facility ensures tight quality control.



Customized Programs. Our staff will work with you to engineer a comprehensive product mix to meet the needs of your market area. Plan-o-gramming, displays, point of purchase support and a full merchandising team are available.



LDR Consumer Designed Merchandising (CDM™) Competitive pricing and emphasis on customer relations increases your profits.

LDR INDUSTRIES, INC.

Committed to Quality - Service - Satisfaction

National Toll Free: 1-800-545-5230

24 Hour Fax: 1-773-265-2374

E Mail: sales@ldrind.com

www.ldrind.com



EXQUISITE®

SHOWER & ACCESSORIES
CATALOG



5 Function Handheld

- Swing Tab Control
- Rub Clean Nozzles
- Hose, Bracket and Washer Included
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	520 5105CP
WHITE	520 5105WT

Meets A112.18.1



5 Function Shower Head

- Swing Tab Control
- Rub Clean Nozzles
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	520 5305CP
WHITE	520 5305WT

Meets A112.18.1



5 Function Dual Head Shower Kit

- Includes Handheld, Shower Head, Three-Way Diverter and Mount, Hose, Washers
- Swing Tab Control
- Rub Clean Nozzles
- Fits All Standard Shower Arms
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	520 5025CP
BRUSHED NICKEL	520 5025BN

Meets A112.18.1



5 Function Handheld



- Swing Tab Control
- Rub Clean Nozzles
- Hose, Bracket and Washer Included
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	520 5130CP
BRUSHED NICKEL	520 5130BN

Meets A112.18.1

5 Function Shower Head



- Swing Tab Control
- Rub Clean Nozzles
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	520 5330CP
BRUSHED NICKEL	520 5330BN

Meets A112.18.1

5 Function Dual Head Shower Kit



- Includes Handheld, Shower Head, Three-Way Diverter and Mount, Hose, Washers
- Swing Tab Control
- Rub Clean Nozzles
- Fits All Standard Shower Arms
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	520 5030CP
BRUSHED NICKEL	520 5030BN

Meets A112.18.1

3 Function Handheld

- Rub Clean Nozzles
- Hose, Bracket and Washer Included
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	Swing Tab Control	520 3120CP
WHITE	Rubber Control Ring	520 3110WT

Meets A112.18.1



3 Function Shower Head

- Rub Clean Nozzles
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	Swing Tab Control	520 3320CP
WHITE	Rubber Control Ring	520 3310WT

Meets A112.18.1



3 Function Dual Head Shower Kit

- Includes Handheld, Shower Head, Three-Way Diverter and Mount, Hose, Washers
- Rub Clean Nozzles
- Fits All Standard Shower Arms
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	Swing Tab Control	520 3020CP
WHITE	Rubber Control Ring	520 3010WT

Meets A112.18.1





3 Function Handheld

- Swing Tab Control
- Rub Clean Nozzles
- Hose, Bracket and Washer Included
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME

520 3160CP

Meets A112.18.1



3 Function Shower Head

- Swing Tab Control
- Rub Clean Nozzles
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME

520 3360CP

Meets A112.18.1



3 Function Dual Head Shower Kit

- Includes Handheld, Shower Head, Three-Way Diverter and Mount, Hose, Washers
- Swing Tab Control
- Rub Clean Nozzles
- Fits All Standard Shower Arms
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME

520 3066CP

Meets A112.18.1

6 Function Handheld

- Swing Tab Control
- Rub Clean Nozzles
- Hose, Bracket and Washer Included
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	520 6140CCP
BRUSHED NICKEL	520 6140BBN
WHITE	520 6140WT

Meets A112.18.1



6 Function Handheld

- Swing Tab Control
- Rub Clean Nozzles
- Hose, Bracket and Washer Included
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	520 6150CCP
BRUSHED NICKEL	520 6150BBN

Meets A112.18.1



6 Function Handheld

- Rubber Control Ring
- Rub Clean Nozzles
- Hose, Bracket and Washer Included
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	520 6160CP
--------	------------

Meets A112.18.1



6 Function Shower Head



- Swing Tab Control
- Rub Clean Nozzles
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	520 6340CCP
BRUSHED NICKEL	520 6340BBN
WHITE	520 6340WT

Meets A112.18.1

6 Function Shower Head



- Swing Tab Control
- Rub Clean Nozzles
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	520 6350CCP
BRUSHED NICKEL	520 6350BBN

Meets A112.18.1

6 Function Shower Head



- Rubber Control Ring
- Rub Clean Nozzles
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	520 6360CP
--------	------------

Meets A112.18.1

5 Function Handheld

- Swing Tab Control
- Rub Clean Nozzles
- Hose, Bracket and Washer Included
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME 520 5136CP

BRUSHED NICKEL 520 5136BN

Meets A112.18.1



5 Function Dual Head Shower Kit

- Includes Handheld, Shower Head, Three-Way Diverter and Mount, Hose, Washers
- Swing Tab Control
- Rub Clean Nozzles
- Fits All Standard Shower Arms
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME 520 5022CP

WHITE 520 5022WT

Meets A112.18.1



5/3 Function Adjustable Arm Shower Kit

- Includes Adjustable Shower Arm, Handheld, Shower Head, Three-Way Diverter, Suction/Screw Mount, Hose, Washers
- Rub Clean Nozzles
- Fits All Standard Shower Arms
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME 520 5038CP

Meets A112.18.1



5 Function Shower Head



- Swing Tab Control
- Rub Clean Nozzles
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME 520 5336CP

BRUSHED NICKEL 520 5336BN

Meets A112.18.1

3 Function Shower Head



- Brass Ball Joint and Fitting
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty
- Bulk UPC'd, 8/Cutcase Box

WHITE 620 3301WT

Meets A112.18.1

3 Function Shower Head



- Dial Control
- Large Face 8 in. Shower Head
- Rub Clean Nozzles
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME 520 3380CP

Meets A112.18.1

1 Function Handheld

- Rub Clean Nozzles
- Hose, Bracket and Washer Included
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	520 1015CP
WHITE	520 1015WT

Meets A112.18.1



1 Function Handheld

- Water Saver - Extra Low Water Flow Rate - 1.7 GPM/6.4 LPM
- Hose, Bracket and Washer Included
- Easy Do-It-Yourself Installation Instructions
- Lifetime Limited Warranty

CHROME	520 1082CP
--------	------------

Meets A112.18.1



1 Function Shower Head

- Rub Clean Nozzles
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty
- Bulk UPC'd, 12/Cutcase Box

CHROME	620 1001CP
--------	------------

Meets A112.18.1



1 Function Shower Head



- Rub Clean Nozzles
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	520 1115CP
WHITE	520 1115WT

Meets A112.18.1

Variable Spray Shower Head



- Coarse or Fine Spray
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	520 1300C
WHITE	520 1300W

Meets A112.18.1

Variable Spray Shower Head



- Coarse or Fine Spray
- Solid Metal Shower Head, Ball Joint and Fitting
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME	520 1400CP
BRUSHED NICKEL	520 1400BN

Meets A112.18.1

1 Function Shower Head

- 4 in. Solid Brass Shower Head
- Rub Clean Nozzles
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME

520 1045CP

Meets A112.18.1



1 Function Shower Head

- Chrome Plated Brass "S" Shower Arm
- 6 in. ABS Shower Head, 60 Nozzles
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME

520 1059CP

Meets A112.18.1



1 Function Shower Head

- 6 in. ABS Shower Head
- Rub Clean Nozzles
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME

520 1062CP

Meets A112.18.1



1 Function Shower Head

- 8 in. Brass Shower Head
- Rub Clean Nozzles
- Easy Do-It-Yourself Installation Instructions
- Water Saving Flow Rate - 2.5 GPM/9.5 LPM
- Lifetime Limited Warranty

CHROME

520 1087CCP

Meets A112.18.1



Three-Way Diverter and Mount



- Built-In Adjustable Shower Arm Mount
- Use Both Showers At Equal Pressure, or Either Shower Separately
- Brass Swivel Nut
- Lifetime Limited Warranty

CHROME	520 2469CP
BRUSHED NICKEL	520 2469BN

Three-Way Diverter



- Use Both Showers At Equal Pressure, or Either Shower Separately
- Brass Swivel Nut
- Fits All Standard Shower Arms
- Lifetime Limited Warranty

CHROME	520 2459C
WHITE	520 2459W

Dual Flow Valve



- Diverts Water From Head to Handheld
- Change Water Flow With a Button Push

CHROME	520 2450C
--------	-----------

Volume Control



- Control Water Flow Rate to Handheld or Shower Head

CHROME	502 3100
--------	----------

Replacement Hose

- Fits Standard Handheld Shower Units
- 1/2 in. F.I.P. Fittings and Washers

CHROME	72 in.	520 2400CP
WHITE	72 in.	520 2400WT
STAINLESS STEEL	60 in.-84 in.	520 2405SS



Stainless Steel
Extendable
Hose

Shower Arm & Flange

- 6 in. Brass Shower Arm with Flange

CHROME	520 2410C
WHITE	520 2410W
BRUSHED NICKEL	520 2410BN



Hi-Rise Shower Arm

- Raises Your Shower Head a Full 10 in.
- Flange Included

CHROME	520 2419CP
--------	------------



Adjustable Shower Arm

- Instantly Adjusts Height of Shower
- Chrome Plate Brass Construction

CHROME	520 3410C
--------	-----------



Two in One Shower Mount



- Mount as Permanent Screw Installation OR Repositionable Suction Mount
- Lifetime Limited Warranty

CHROME	520 2433C
WHITE	520 2433W

Shower Wall Mount



Holds shower in two positions

- For Handheld Showers

CHROME	520 2430C
--------	-----------

Shower Arm Mount



- Can Be Adjusted to Direct Spray

CHROME	520 2440C
WHITE	520 2440W

Vacuum Breaker



- Prevents Backflow of Contaminated Water
- Meets All Plumbing Code Requirements
- Easy to Install

CHROME	520 2506CP
--------	------------

SHOWER KITS



We offer Exquisite® Shower Kits in a variety of configurations for a complete shower experience. Different styles and functions are available.

All kits feature a handheld shower unit and shower head. All kits feature a mount for the handheld unit and a three-way diverter for flow control. Hoses, hardware, and instructions are included.

At the heart of each shower kit is the three-way diverter unit. This unit allows the user to easily change the water flow to the handheld, shower head, or even to both at once.



Exquisite® clamshell packaging is attractive and space conscious. Units may be hung on hooks or stand on shelves and baseboards. POP is available.



PACKAGING

Exquisite® trilingual packaging has been designed to communicate product positioning and benefits effectively, using minimal copy.

Instructions included are also fully trilingual to help your customers enjoy simple, care-free installation of their purchase.

Replaces Any Standard Showerhead
Remplace toute pomme de douche standard
Reemplaza cualquier cabezal de ducha estándar

Use Either Spray or Both At The Same Time
Utilisez le jet pulvérisation ou les deux simultanément
Utilice bien sea el rocío o ambas al mismo tiempo

Contents:
Handheld Shower Unit
Shower Head
60 in. Hose
Three-way Diverter and Mount
Thread Seal Tape

Contenu:
Douchette
Pomme de douche
Tuyau de 1.5m
Inverseur à trois voies et support
Ruban d'étanchéité

Contenido:
Unidad de ducha manual
Cabezal de ducha
Manguera de 1.5m
Válvula desviadora de tres posiciones y de montaje
Cinta de sellar para roscas

Complete Step-By-Step Installation Instructions Inside
Instructions d'installation pas à pas complètes à l'intérieur
Instrucciones completas de instalación paso por paso en el interior



LDR Industries also offers a complete range of other plumbing products.

Faucets, Bathware, Repair Parts, Sinks and Kits, Water Supply, Carded Plumbing, Valves, Fittings, Nipples and Pipe--and more. Lead Free products are also available.

LDR does not sell to consumers.

